

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 08/11/2016 Revision date: 26/02/2016 :

Version: 10.1

QUICK STRIP			5540
			F51S.
SECTION 1: Identification of	the substance/mixture a	nd of the company/undertaking	
I.1. Product identifier		ind of the company/undertaking	
Product form	: Mixture		
Product name	: QUICK STRIP		
Product code	: F51S.5		
ype of product	: Technical product		
	f the substance or mixture and	l uses advised against	
I.2.1. Relevant identified uses			
Main use category	: Professional use		
ndustrial/Professional use spec	: For professional u	-	
Jse of the substance/mixture	: Floor polish remov	/er	
1.2.2. Uses advised against			
No additional information available			
.3. Details of the supplier of t	he safety data sheet		
LEANSOURCE PROFESSIONAL (GB)	BRICKFIELD HOUS Tel: 01792 582 000	E, SWANSEA, SOUTH WALES, SA1 6RZ, UNITED Email: info@clean-source.co.uk	KINGDOM
.4. Emergency telephone nur	nber		
	Mon to Fri 8.30am	to 5.00pm - 01792 582 000	
SECTION 2: Hazards identifi	cation		
2.1. Classification of the subst Classification according to Regulat	ance or mixture		
Classification of the substClassification according to RegulatSkin Corr. 1BH314Resp. Sens. 1H334Skin Sens. 1H317STOT SE 3H335	ance or mixture ion (EC) No. 1272/2008 [CLP]		
2.1. Classification of the subst Classification according to Regulat Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317	ance or mixture ion (EC) No. 1272/2008 [CLP]		
Classification of the substitution Classification according to Regulat Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335 Full text of hazard classes and H-state	ance or mixture ion (EC) No. 1272/2008 [CLP] ements : see section 16 EC) No. 1272/2008 [CLP]		
Classification of the substitution Classification according to Regulate Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335 Full text of hazard classes and H-state R.2. Label elements Label elements Label lements Label pictograms (CLP)	ance or mixture ion (EC) No. 1272/2008 [CLP] ements : see section 16 EC) No. 1272/2008 [CLP] : GHS05	KHS07 KHS08	
Classification of the substitution Classification according to Regulat Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335 Full text of hazard classes and H-state Label elements Label elements Label number of the substitution (CLP)	ance or mixture ion (EC) No. 1272/2008 [CLP] ements : see section 16 EC) No. 1272/2008 [CLP] : GHS05 : Danger		
Classification of the substitution Classification according to Regulat Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335 Full text of hazard classes and H-state Label elements Label elements Label of the condition of the substitution of the substit	ance or mixture ion (EC) No. 1272/2008 [CLP] ements : see section 16 EC) No. 1272/2008 [CLP] : GHS05 : Danger : 2-aminoethanol, e	thanolamine, ethylenediamine, 1,2-diaminoet	hane
Classification of the substitution Classification according to Regulat Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335 Full text of hazard classes and H-state Label elements Label elements Label number of the substitution (CLP)	ance or mixture ion (EC) No. 1272/2008 [CLP] ements : see section 16 EC) No. 1272/2008 [CLP] : GHS05 : Danger : 2-aminoethanol, e : H314 - Causes se H317 - May cause H334 - May cause		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amer......

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol, ethanolamine	(CAS No) 141-43-5 (EC no) 205-483-3 (EC index no) 603-030-00-8	5 - 15	Xn; R20/21/22 C; R34	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
benzyl alcohol	(CAS No) 100-51-6 (EC no) 202-859-9 (EC index no) 603-057-00-5	5 - 15	Xn; R20/22	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
ethylenediamine, 1,2-diaminoethane	(CAS No) 107-15-3 (EC no) 203-468-6 (EC index no) 612-006-00-6	1 - 5	R10 Xn; R21/22 C; R34 R42 R43	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Resp. Sens. 1, H334 Skin Sens. 1, H317
Sodium laurylether sulphate	(CAS No) 68891-38-3 (EC no) 500-234-8	1 - 5	Xi; R41 Xi; R38	Eye Dam. 1, H318 Skin Irrit. 2, H315

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the su	ibstance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	

QUICK STRIP	F51S.5
QUICK STRIF	F010.0
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) v	vith its amer
6.3. Methods and material for containm	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Expos	sure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Oxidizing agent. Strong acids.
Incompatible materials	: Metals.
Special rules on packaging	: Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2.

No additional information available

Exposure controls

Materials for protective clothing: Safety boots. PICM008Hand protection: Protective glovesEye protection: Safety glassesSkin and body protection: Wear suitable protective clothingRespiratory protection: Not required for normal conditions of use

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Liquid Appearance : Liquid. Colour : Blue. Odour : characteristic. Odour threshold : No data available pН : 12.5 Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 1.01 Solubility : No data available Log Pow : No data available

QUICK STRIP		F51S.5
Safety Data Sheet		
according to Regulation (EC) No. 1907/2006 (REACH)	with its amer	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity	/	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
No additional information available		
10.5. Incompatible materials		
metals.		
10.6. Hazardous decomposition product	S	
No additional information available		

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	3	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12.5	
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 12.5	
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTIO	N 12: Ecological information
12.1.	Toxicity
No additio	nal information available
12.2.	Persistence and degradability
No additio	nal information available
12.3.	Bioaccumulative potential
No additio	nal information available
12.4.	Mobility in soil
No additio	nal information available
12.5.	Results of PBT and vPvB assessment
No additio	nal information available
12.6.	Other adverse effects
No additio	nal information available

QUICK STRIP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amer......

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1760
UN-No. (IMDG)	: 1760
UN-No. (IATA)	: 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, N.O.S.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (ETHYLENE DIAMINE, 2-AMINOETHANOL), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

: 8

: 8

: 8

ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)



14.4. Packing group	
Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

Safety Data Sheet

Special precautions for user

- Overland transport

14.6.

- Overland transport	
Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T 7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80 1760
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B
-	
- Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
14.7. Transport in bulk according to Ani	nex if of MARPOL 13/18 and th

14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
IBC code	: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

QUICK STRIP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amer......

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Resp. Sens. 1	Sensitisation — Respiratory, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product