Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/03/2021 Version: 10.5

Generated : 11/03/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: WIPE-OVER WITH BLEACH 750ML
Product code	55S.7
Type of product	: Detergent
Vaporizer	: Container fitted with a sealed spray attachment

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use

: For professional use only

: Chlorine-based disinfectant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CLEANSOURCE PROFESSIONAL (GB) BRICKFIELD HOUSE SWANSEA SOUTH WALES SA1 6RZ UNITED KINGDOM

Tel: 01792 582 000 Email: info@clean-source.co.uk

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01792 582 000

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Hazard pictograms (CLP)



: Danger

: sodium hypochlorite, solution... % Cl active

: H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling.
	P280 - Wear eye protection, protective gloves.
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P315 - Get immediate medical advice/attention.
	P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hypochlorite, solution % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	0.1 – 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	0.1 – 1	Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hypochlorite, solution % CI active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	(5 ≤C ≤ 100) EUH031
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	
Symptoms/effects after skin contact	
Symptoms/effects after eye contact	
Symptoms/effects after indestion	

- May cause respiratory irritation.Burns.Causes serious eye damage.
- : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

 5.1. Extinguishing media

 Suitable extinguishing media
 : Carbon dioxide. Dry powder. Foam.

 5.2. Special hazards arising from the substance or mixture

 Hazardous decomposition products in case of fire
 : Corrosive vapours.

 5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Use personal protective equipment as required. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Methods for cleaning up :

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	Avoid contact with skin and eyes.Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging	 Does not require any specific or particular technical measures. Keep container closed when not in use. Oxidizing agent. Strong acids. Metals. Keep only in original container. 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses. EN 166	

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

 Other skin protection

 Materials for protective clothing:

 Not required for normal conditions of use

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 13.2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≥ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.02
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Metals. Strong acids. Contact with acids liberates toxic gas.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.2
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.2
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Bleach HSC trigger base	
Vaporizer	Container fitted with a sealed spray attachment

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified Harmful to aquatic life with long lasting effects.
sodium hydroxide; caustic soda (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
sodium hydroxide; caustic soda (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88
Document generated @ 11/03/2021 13:23:19	Page 6 of 10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1760 : UN 1760 : UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR)	 CORROSIVE LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE)), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE), 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8
	: W 8
IMDG	
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 8 : 8
	: B
ΙΑΤΑ	•
Transport hazard class(es) (IATA)	: 8

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danger labels (IATA)	: 8
	:
	8
14.4. Packing group	•
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR) Special provisions (ADR)	: C9 : 274
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage Transport category (ADR)	: AT : 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80 1760
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B
Transport by sea	
Special provisions (IMDG) Limited quantities (IMDG)	: 223, 274 : 5 L
Excepted quantities (IMDG)	: 5L : E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage) Stowage category (IMDG)	: S-B : A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	: Y841 : 1L
PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: 1L : 852
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 52 : 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3

Safety Data Sheet according to Regulation (EC) No. 19	07/2006 (REACH) with its amendment Regulation (EU) 2015/830		
ERG code (IATA)	: 8L		
14.7. Transport in bulk acc	cording to Annex II of Marpol and the IBC Code		
IBC code	: Not applicable.		
SECTION 15: Regulator	y information		
15.1. Safety, health and en	vironmental regulations/legislation specific for the sub	stance or mixture	
15.1.1. EU-Regulations			
and import of hazardous chemic	EACH candidate list substances to Regulation (EU) No 649/2012 of the European Parliament and of	, , , , ,	
Detergent Regulation (648/200	4/EC): Labelling of contents:		
Component %			
anionic surfactants, non-ionic surfactants <5%		<5%	
	dilactarits		

United Kingdom

British National Regulations

 Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
 Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment

WIPE-OVER WITH BLEACH 750ML

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH031		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	

J5S.7

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.