



SAFETY DATA SHEET CARPETCLEAN XL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CARPETCLEAN XL
Product number S800

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A highly concentrated low foam emulsifier for use in carpet soil extraction machines. Carpetclean XL is phosphate free and contains special corrosion inhibitors to help protect machinery and truck-mount chemical metering systems. Carpetclean XL has been tested and approved for aircraft carpet cleaning.
Approval: SAE AEROSPACE MATERIAL SPECIFICATION (AMS) 1631A(B)

1.3. Details of the supplier of the safety data sheet

Supplier Caterclean Supplies
Brickfield House
Meadow Street
Swansea
SA1 6RZ

sales@caterclean.com
Tel: 01792 582000
(8am-5pm)

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held. For Ireland contact the NPIC: 01 837 9964 or 01 809 2566.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards Not Classified

Human health Causes severe skin burns and eye damage. Considered to be a low inhalation hazard at normal workplace temperatures. Excessive exposure may cause respiratory irritation and/or temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache. Vapours may cause headache, fatigue, dizziness and nausea. Ingestion may cause: nausea Diarrhoea. May cause chemical burns in mouth and throat.

CARPETCLEAN XL

Environmental The product is expected to be biodegradable.

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements P102 Keep out of reach of children.
 P260 Do not breathe spray.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/ doctor.

Contains Alcohols C9-11, ethoxylated, Tetrasodium ethylene diamine tetraacetate, Alcohols, C9-11, ethoxylated, Disodium metasilicate

Detergent labelling 5 - < 15% EDTA and salts thereof, 5 - < 15% non-ionic surfactants, < 5% anionic surfactants, < 5% perfumes, Contains DMDM Hydantoin, d-Limonene, Iodopropynyl butylcarbamate

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Alcohols C9-11, ethoxylated CAS number: 68439-46-3 EC number: 614-482-0	5-10%
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	
Tetrasodium ethylene diamine tetraacetate CAS number: 64-02-8 EC number: 200-573-9	5-10%
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373	

CARPETCLEAN XL

Alcohols, C9-11, ethoxylated	1-5%
CAS number: 68439-46-3	EC number: 614-482-0
Classification	
Eye Dam. 1 - H318	
Disodium metasilicate	1-5%
CAS number: 6834-92-0	EC number: 229-912-9
	REACH registration number: 01-2119449811-37-XXXX
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting.
Skin contact	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	Causes severe skin burns and eye damage.
Eye contact	Causes serious eye damage. May cause severe eye irritation. May cause possible injury if not promptly rinsed.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	If swallowed: Get medical attention immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Water spray, dry powder or carbon dioxide.
-------------------------------------	--

5.2. Special hazards arising from the substance or mixture

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Nitrogen oxide. Acids - organic.

CARPETCLEAN XL

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 30°C. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Disodium metasilicate

Short-term exposure limit (15-minute): SUP 2 mg/m³

SUP = Supplier's recommendation.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Side shield safety glasses are recommended when handling this product.

CARPETCLEAN XL

Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.
Hygiene measures	Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
Respiratory protection	Not required in normal use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Green.
Odour	Citrus. Floral.
Odour threshold	Not determined.
pH	pH (concentrated solution): 12.5 pH (diluted solution): 9.5
Melting point	Not determined.
Initial boiling point and range	100°C
Flash point	Not applicable.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.08
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Viscosity	5.810-6.017 mPa s @ 20°C
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

CARPETCLEAN XL

Possibility of hazardous reactions Not determined.

10.4. Conditions to avoid

Conditions to avoid Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 30°C.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Nitrogen oxide. Acids - organic.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Ingestion may cause: irritation nausea Diarrhoea. May cause chemical burns in mouth and throat. Considered to be a low inhalation hazard at normal workplace temperatures. Excessive exposure may cause respiratory irritation and/or temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache.

Acute toxicity - oral

ATE oral (mg/kg) 4,450.38

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 20.08

Skin corrosion/irritation

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation

Serious eye damage/irritation Contact with concentrate May cause severe eye irritation. May cause possible injury if not promptly rinsed. May cause blurred vision and serious eye damage.

Skin sensitisation

Skin sensitisation Contains Limonene

Germ cell mutagenicity

Genotoxicity - in vivo No effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

Toxicological information on ingredients.

Alcohols C9-11, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 300.0

Acute toxicity - dermal

CARPETCLEAN XL

Acute toxicity dermal (LD₅₀ 2,000.0
mg/kg)

Tetrasodium ethylene diamine tetraacetateAcute toxicity - oral

Acute toxicity oral (LD₅₀ 1,000.0
mg/kg)

Species Rat

ATE oral (mg/kg) 1,000.0

Acute toxicity - inhalation

ATE inhalation 1.5
(dusts/mists mg/l)

Alcohols, C9-11, ethoxylatedAcute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0
mg/kg)

Disodium metasilicateAcute toxicity - oral

Acute toxicity oral (LD₅₀ 1,280.0
mg/kg)

Species Rat

SECTION 12: Ecological Information**12.1. Toxicity**Ecological information on ingredients.Alcohols C9-11, ethoxylated

Acute toxicity - fish LC₅₀, : > 10 mg/l,

Acute toxicity - aquatic
invertebrates EC₅₀, : > 1 mg/l,

Acute toxicity - aquatic
plants IC₅₀, : > 10 mg/l,

Tetrasodium ethylene diamine tetraacetate

Acute toxicity - fish LC₅₀, 96 hours: > 100 mg/l, Algae

Acute toxicity - aquatic
invertebrates EC₅₀, 48 hours: > 100 mg/l, Daphnia magna

Acute toxicity - aquatic
plants IC₅₀, 72 hours: > 100 mg/l, Fish

Alcohols, C9-11, ethoxylated

CARPETCLEAN XL

Acute toxicity - fish LC50, : 1-10 mg/l,

Acute toxicity - aquatic invertebrates EC₅₀, : 1-10 mg/l,

Acute toxicity - aquatic plants IC₅₀, : 1-10 mg/l,

Disodium metasilicate

Acute toxicity - fish LC50, 96 hours: 210 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1700 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3266

UN No. (IMDG) 3266

14.2. UN proper shipping name

Corrosive liquid, basic, inorganic, N.O.S. (contains disodium trioxosilicate)

14.3. Transport hazard class(es)

ADR/RID class 8

IMDG class 8

CARPETCLEAN XL

14.4. Packing group

ADR/RID packing group III

IMDG packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Supplied in accordance with "Limited Quantity" provisions.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 24/05/2017

Revision 4

Supersedes date 05/10/2015

Please note: Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2.

Hazard statements in full H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Signature Aaron Saunders

CARPETCLEAN XL

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.